

ENVIRONMENTAL PRODUCT **DECLARATION**

FLAT SHEET IN FIBER CEMENT







Based on

PCR 2012:01 Construction products and construction services v.2.3, 2018-11-15 e EN 15804:2013, UN CPC 375 21/06/2022

Publication date: 14/04/2015

Revision of

Certification N° S-P-00669

Valid until 20/06/2025



1. SIL GROUP

Società Italiana Lastre S.p.A. (SIL) was founded in 1961 and established itself in the market thanks to the production of corrugated flat sheet production in fiber cement and thanks to the wide variety of products..

From **1973** SIL began to produce **flat sheets**, products subject of the present EPD.

CENTIFICATION
CENTRALIANA LASTRE S.p.A.

SOCIETA TALLANA LASTRE S.p.A.

INCIDENT S. CONTRALIANA LASTRE S. CONTRALIANA


SIL GROUP IS CERTIFIED ISO 9001

UNI EN ISO 9001:2015

SIL plant is located in Verolanuova (BS).

1961
Foundation
SIL G
COMI

SIL GROUP IS ONE OF THE FIRST COMPANY IN EUROPE FOR PRODUCT QUALITY AND WORKERS' SKILLS.







2. THE PRODUCT

FLAT SHEET IN FIBER CEMENT


Flat sheets represent the new generation of sheet, composed by cement and inert materials, reinforced with cellulose and autoclaved.

They are fire-resistant, non putrescible and difficult to be attacked by rodents, scums and fungi.


Sheets are produced in different thicknesses ranging from 4 mm to 32 mm, they could be colored in mass.

About 37% of the flat sheets are painted.

The sheets can be used for external applications (facades).



Raw materials used for flat sheets do not include substances listed in the document "Candidate List of SVHC" released by European Chemicals Agency (http://echa.europa.eu/candidate-list-table).







3. METHODOLOGY

Environmental impacts have been evaluated considering all the phases of the product life cycle according to the rules listed in the PCR 2012:01.


Data collected are referred to the whole 2021 production, occurred in Verolanuova plant.

Ecoinvent database (v3.5) and Simapro v.9 are used for the elaboration.

DECLARED UNIT

Data and results are referred to **1 m²** of surface in different thicknesses. In the present EPD, sheets with thickness 4, 5, 6, 8, 10 and 12 mm are considered because they represent over 99% of 2021 production.


Since environmental impacts differ from more than 10% both among different thicknesses and among painted and not painted sheets, results are reported separately both for not painted flat sheets with 4, 5, 6, 8 and 10 mm of thickness and for painted sheet with 5, 6, 8, 10 and 12 mm thickness.







4. SYSTEM BOUNDARIES




The system analysed includes all life cycle phases from raw material production to final customer distribution, as required by the option "cradle to gate with options" of the reference PCR.

The option includes the evaluation of upstream process (module A1), core process (modules A2 and A3) and downstream process (module A4).





4. SYSTEM BOUNDARIES








5. UPSTREAM PROCESSES







6. CORE PROCESSES





A2 - Raw materials transport



Raw materials transport up to Verolanuova plant.

Use of thermal energy and water during the production process, that consists of several steps: mixing of raw materials, sheets forming, cutting and pressing, seasoning, autoclaving, finishing and painting.





A3 - Production process

Packaging materials production (HDPE film; pallet and metallic strappings).

Waste management including transport up to recovery/disposal.








7. DOWNSTREAM PROCESSES



Impacts related to transport have been evaluated considering all shipments during year 2021.

Reference distance has been calculated by averaging the distances of each shipment with the weight represented by the quantity transported.

Environmental impacts have been calculated considering the information coming from Ecoinvent database version 3.5 (Lorry 16-32t, EURO5 and Transoceanic freight ship).



A4 - Final product transport





8. ENVIRONMENTAL PERFORMANCE (natural or mass color sheet - thickness 4 mm)

Results in terms of resource consumption or generated impacts are divided in three phases (upstream, core and downstream) and sub-phases (A1, A2, A3, A4) as requested by the reference PCR.

	UPSTREAM	CORE		DOWNSTREAM	
RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	1,20E+01	0,00E+00	3,15E+00	0,00E+00	1,51E+01
Use of RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	1,81E+01	8,13E-02	1,16E+00	2,46E-01	1,96E+01
Total use of RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	3,01E+01	8,13E-02	4,31E+00	2,46E-01	3,47E+01



	UPSTREAM	CORE		DOWNSTREAM	
NON RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of NON RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	0,00E+00	0,00E+00	7,40E-01	0,00E+00	7,40E-01
Use of NON RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	7,78E+01	6,90E+00	5,46E+00	1,70E+01	1,07E+02
Total use of NON RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	7,78E+01	6,90E+00	6,20E+00	1,70E+01	1,08E+02



(6)	UPSTREAM	co	PRE	DOWNSTREAM	
USE OF SECONDARY RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of secondary material [kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of NON renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

	UPSTREAM	co	RE	DOWNSTREAM	
NET USE OF FRESH WATER	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Net use of fresh water [m ³]	5,47E-02	1,27E-03	1,08E-02	3,39E-03	7,01E-02



俞	UPSTREAM	CORE		DOWNSTREAM	
WASTE PRODUCTION AND TREATMENT	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Hazardous waste disposed [kg]	7,27E-02	4,42E-03	5,08E-03	1,20E-02	9,42E-02
Non hazardous waste disposed [kg]	1,71E-01	2,89E-01	1,27E-01	7,52E-01	1,34E+00
Radioactive waste disposed [kg]	1,54E-04	4,65E-05	2,49E-05	1,14E-04	3,39E-04
Material for recycling [kg]	0,00E+00	0,00E+00	4,91E+00	0,00E+00	4,91E+00
	UPSTREAM	CORE		DOWNSTREAM	
ENVIRONMEMNTAL IMPACT PARAMETERS	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Global Warming Potential, GWP [kg CO ₂ eq]	5,18E+00	4,50E-01	2,56E+00	1,10E+00	9,29E+00
Ozone Depletion Potential, ODP [kg CFC-11 eq]	8,40E-07	8,21E-08	4,34E-08	2,00E-07	1,17E-06
Photochemical Ozone Creation, POCP [kg C ₂ H ₄ eq]	8,03E-04	9,82E-05	1,18E-04	1,91E-04	1,21E-03
Acidification Potential, AP [kg SO ₂ eq]	1,64E-02	2,31E-03	1,64E-03	3,96E-03	2,43E-02
Futurable of the Datastial FD No. DO 3-1-1	2,28E-03	3,03E-04	3,08E-04	6,44E-04	3,54E-03
Eutrophication Potential, EP [kg PO ₄ ³⁻ eq]					
Depletion of abiotic resources-elements, ADP-elements [kg Sb eq]	8,76E-06	1,22E-06	6,89E-07	3,21E-06	1,39E-05



8. ENVIRONMENTAL PERFORMANCE (natural or mass color sheet - thickness 5 mm)

Results in terms of resource consumption or generated impacts are divided in three phases (upstream, core and downstream) and sub-phases (A1, A2, A3, A4) as requested by the reference PCR.

	UPSTREAM	CORE		DOWNSTREAM	
RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	1,50E+01	0,00E+00	3,94E+00	0,00E+00	1,89E+01
Use of RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	2,26E+01	1,02E-01	1,45E+00	3,07E-01	2,45E+01
Total use of RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	3,76E+01	1,02E-01	5,39E+00	3,07E-01	4,34E+01





376	UPSTREAM	co	RE	DOWNSTREAM	
NON RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of NON RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	0,00E+00	0,00E+00	9,25E-01	0,00E+00	9,25E-01
Use of NON RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	9,72E+01	8,62E+00	6,83E+00	2,12E+01	1,34E+02
Total use of NON RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	9,72E+01	8,62E+00	7,75E+00	2,12E+01	1,35E+02



()	UPSTREAM	UPSTREAM CORE		DOWNSTREAM	
USE OF SECONDARY RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of secondary material [kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of NON renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

	UPSTREAM	co	RE	DOWNSTREAM	
NET USE OF FRESH WATER	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Net use of fresh water [m³]	6,84E-02	1,59E-03	1,35E-02	4,23E-03	8,77E-02





m	UPSTREAM	CORE		DOWNSTREAM	
WASTE PRODUCTION AND TREATMENT	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Hazardous waste disposed [kg]	9,09E-02	5,53E-03	6,34E-03	1,50E-02	1,18E-01
Non hazardous waste disposed [kg]	2,14E-01	3,62E-01	1,59E-01	9,40E-01	1,67E+00
Radioactive waste disposed [kg]	1,92E-04	5,81E-05	3,12E-05	1,43E-04	4,24E-04
Material for recycling [kg]	0,00E+00	0,00E+00	6,14E+00	0,00E+00	6,14E+00
	UPSTREAM	CORE		DOWNSTREAM	
ENVIRONMEMNTAL IMPACT PARAMETERS	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Global Warming Potential, GWP [kg CO ₂ eq]	6,48E+00	5,63E-01	3,20E+00	1,38E+00	1,16E+01
Ozone Depletion Potential, ODP [kg CFC-11 eq]	1,05E-06	1,03E-07	5,42E-08	2,50E-07	1,46E-06
Photochemical Ozone Creation, POCP [kg C ₂ H ₄ eq]	1,00E-03	1,23E-04	1,48E-04	2,38E-04	1,51E-03
Acidification Potential, AP [kg SO ₂ eq]	2,04E-02	2,88E-03	2,05E-03	4,95E-03	3,03E-02
Eutrophication Potential, EP [kg PO ₄ ³⁻ eq]	2,85E-03	3,79E-04	3,85E-04	8,05E-04	4,42E-03
Depletion of abiotic resources-elements, ADP-elements [kg Sb eq]	1,10E-05	1,53E-06	8,62E-07	4,02E-06	1,74E-05
Depletion of abiotic resources-fossil, ADP-fossil fuels [MJ]	9,95E+01	8,52E+00	7,52E+00	2,08E+01	1,36E+02





8. ENVIRONMENTAL PERFORMANCE (natural or mass color sheet - thickness 6 mm)

Results in terms of resource consumption or generated impacts are divided in three phases (upstream, core and downstream) and sub-phases (A1, A2, A3, A4) as requested by the reference PCR.

	UPSTREAM	CORE		DOWNSTREAM	
RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	1,80E+01	0,00E+00	4,72E+00	0,00E+00	2,27E+01
Use of RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	2,72E+01	1,22E-01	1,74E+00	3,68E-01	2,94E+01
Total use of RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	4,52E+01	1,22E-01	6,46E+00	3,68E-01	5,21E+01





NON RENEWABLE RESOURCES	UPSTREAM	co	PRE	DOWNSTREAM	
	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of NON RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	0,00E+00	0,00E+00	1,11E+00	0,00E+00	1,11E+00
Use of NON RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	1,17E+02	1,03E+01	8,19E+00	2,55E+01	1,61E+02
Total use of NON RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	1,17E+02	1,03E+01	9,30E+00	2,55E+01	1,62E+02



()	UPSTREAM	co	DRE	DOWNSTREAM	
USE OF SECONDARY RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of secondary material [kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of NON renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

	UPSTREAM	co	RE	DOWNSTREAM	
NET USE OF FRESH WATER	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Net use of fresh water [m³]	8,21E-02	1,91E-03	1,62E-02	5,08E-03	1,05E-01



亷	UPSTREAM	CORE		DOWNSTREAM	
WASTE PRODUCTION AND TREATMENT	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Hazardous waste disposed [kg]	1,09E-01	6,63E-03	7,61E-03	1,80E-02	1,41E-01
Non hazardous waste disposed [kg]	2,56E-01	4,34E-01	1,91E-01	1,13E+00	2,01E+00
Radioactive waste disposed [kg]	2,30E-04	6,97E-05	3,74E-05	1,72E-04	5,09E-04
Material for recycling [kg]	0,00E+00	0,00E+00	7,36E+00	0,00E+00	7,36E+00
	UPSTREAM	CORE		DOWNSTREAM	
ENVIRONMEMNTAL IMPACT PARAMETERS	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Global Warming Potential, GWP [kg CO ₂ eq]	7,78E+00	6,76E-01	3,83E+00	1,65E+00	1,39E+01
Ozone Depletion Potential, ODP [kg CFC-11 eq]	1,26E-06	1,23E-07	6,50E-08	3,01E-07	1,75E-06
Ozone Depletion Potential, ODP [kg CFC-11 eq] Photochemical Ozone Creation, POCP [kg C_2H_4 eq]	1,26E-06 1,21E-03	1,23E-07 1,47E-04	6,50E-08 1,77E-04	3,01E-07 2,86E-04	1,75E-06 1,82E-03
Photochemical Ozone Creation, POCP	· · · · · · · · · · · · · · · · · · ·	<u> </u>	·	·	•
Photochemical Ozone Creation, POCP [kg C ₂ H ₄ eq]	1,21E-03	1,47E-04	1,77E-04	2,86E-04	1,82E-03
Photochemical Ozone Creation, POCP [kg C ₂ H ₄ eq] Acidification Potential, AP [kg SO ₂ eq]	1,21E-03 2,45E-02	1,47E-04 3,46E-03	1,77E-04 2,46E-03	2,86E-04 5,94E-03	1,82E-03 3,64E-02



8. ENVIRONMENTAL PERFORMANCE (natural or mass color sheet - thickness 8 mm)

Results in terms of resource consumption or generated impacts are divided in three phases (upstream, core and downstream) and sub-phases (A1, A2, A3, A4) as requested by the reference PCR.

	UPSTREAM	CORE		DOWNSTREAM	
RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	2,40E+01	0,00E+00	6,30E+00	0,00E+00	3,03E+01
Use of RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	3,62E+01	1,63E-01	2,32E+00	4,91E-01	3,92E+01
Total use of RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	6,02E+01	1,63E-01	8,62E+00	4,91E-01	6,95E+01





NON RENEWABLE RESOURCES	UPSTREAM	co	CORE		
	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of NON RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	0,00E+00	0,00E+00	1,48E+00	0,00E+00	1,48E+00
Use of NON RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	1,56E+02	1,38E+01	1,09E+01	3,40E+01	2,14E+02
Total use of NON RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	1,56E+02	1,38E+01	1,24E+01	3,40E+01	2,16E+02



	UPSTREAM	AM CORE		DOWNSTREAM	
USE OF SECONDARY RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of secondary material [kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of NON renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

	UPSTREAM	co	PRE	DOWNSTREAM	
NET USE OF FRESH WATER	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Net use of fresh water [m³]	1,09E-01	2,54E-03	2,15E-02	6,77E-03	1,40E-01





前	UPSTREAM	CORE		DOWNSTREAM	
WASTE PRODUCTION AND TREATMENT	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Hazardous waste disposed [kg]	1,45E-01	8,84E-03	1,02E-02	2,40E-02	1,88E-01
Non hazardous waste disposed [kg]	3,42E-01	5,79E-01	2,54E-01	1,50E+00	2,68E+00
Radioactive waste disposed [kg]	3,07E-04	9,30E-05	4,99E-05	2,29E-04	6,79E-04
Material for recycling [kg]	0,00E+00	0,00E+00	9,82E+00	0,00E+00	9,82E+00
4	UPSTREAM	CORE		DOWNSTREAM	
ENVIRONMEMNTAL IMPACT PARAMETERS	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Global Warming Potential, GWP [kg CO ₂ eq]	1,04E+01	9,01E-01	5,11E+00	2,20E+00	1,86E+01
Ozone Depletion Potential, ODP [kg CFC-11 eq]	1,68E-06	1,64E-07	8,67E-08	4,01E-07	2,33E-06
Photochemical Ozone Creation, POCP [kg C_2H_4 eq]	1,61E-03	1,96E-04	2,36E-04	3,82E-04	2,42E-03
	3,27E-02	4,61E-03	3,28E-03	7,91E-03	4,85E-02
Acidification Potential, AP [kg SO ₂ eq]	5,2. 2 52				
Acidification Potential, AP [kg SO ₂ eq] Eutrophication Potential, EP [kg PO ₄ ³⁻ eq]	4,56E-03	6,06E-04	6,17E-04	1,29E-03	7,07E-03
	· · · · · · · · · · · · · · · · · · ·	6,06E-04 2,44E-06	6,17E-04 1,38E-06	1,29E-03 6,43E-06	7,07E-03 2,78E-05



8. ENVIRONMENTAL PERFORMANCE (natural or mass color sheet - thickness 10 mm)

Results in terms of resource consumption or generated impacts are divided in three phases (upstream, core and downstream) and sub-phases (A1, A2, A3, A4) as requested by the reference PCR.

	UPSTREAM	CORE		DOWNSTREAM	
RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	3,00E+01	0,00E+00	7,87E+00	0,00E+00	3,78E+01
Use of RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	4,53E+01	2,03E-01	2,90E+00	6,14E-01	4,90E+01
Total use of RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	7,53E+01	2,03E-01	1,08E+01	6,14E-01	8,68E+01





NON RENEWABLE RESOURCES	UPSTREAM	СО	PRE	DOWNSTREAM	
	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of NON RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	0,00E+00	0,00E+00	1,85E+00	0,00E+00	1,85E+00
Use of NON RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	1,94E+02	1,72E+01	1,37E+01	4,24E+01	2,68E+02
Total use of NON RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	1,94E+02	1,72E+01	1,55E+01	4,24E+01	2,70E+02





()	UPSTREAM	co	DRE	DOWNSTREAM	
USE OF SECONDARY RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of secondary material [kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of NON renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

	UPSTREAM	co	RE	DOWNSTREAM	
NET USE OF FRESH WATER	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Net use of fresh water [m³]	1,37E-01	3,18E-03	2,69E-02	8,46E-03	1,75E-01





m	UPSTREAM	cc	DRE	DOWNSTREAM	
WASTE PRODUCTION AND TREATMENT	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Hazardous waste disposed [kg]	1,82E-01	1,11E-02	1,27E-02	3,00E-02	2,35E-01
Non hazardous waste disposed [kg]	4,27E-01	7,23E-01	3,18E-01	1,88E+00	3,35E+00
Radioactive waste disposed [kg]	3,84E-04	1,16E-04	6,23E-05	2,86E-04	8,49E-04
Material for recycling [kg]	0,00E+00	0,00E+00	1,23E+01	0,00E+00	1,23E+01
	UPSTREAM	CORE		DOWNSTREAM	
ENVIRONMEMNTAL IMPACT PARAMETERS	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Global Warming Potential, GWP [kg CO ₂ eq]	1,30E+01	1,13E+00	6,39E+00	2,75E+00	2,32E+01
Ozone Depletion Potential, ODP [kg CFC-11 eq]	2,10E-06	2,05E-07	1,08E-07	5,01E-07	2,91E-06
Photochemical Ozone Creation, POCP [kg C ₂ H ₄ eq]	2,01E-03	2,46E-04	2,95E-04	4,77E-04	3,03E-03
Acidification Potential, AP [kg SO ₂ eq]	4,09E-02	5,77E-03	4,10E-03	9,89E-03	6,07E-02
		_	7,71E-04	1,61E-03	8,84E-03
Eutrophication Potential, EP [kg PO ₄ ³⁻ eq]	5,70E-03	7,57E-04	7,712-04	,	•
Eutrophication Potential, EP [kg PO ₄ ³⁻ eq] Depletion of abiotic resources-elements, ADP-elements [kg Sb eq]	5,70E-03 2,19E-05	7,57E-04 3,05E-06	1,72E-06	8,03E-06	3,47E-05



8. ENVIRONMENTAL PERFORMANCE (natural or mass color sheet - thickness 12 mm)

Results in terms of resource consumption or generated impacts are divided in three phases (upstream, core and downstream) and sub-phases (A1, A2, A3, A4) as requested by the reference PCR.

	UPSTREAM	CORE		DOWNSTREAM	
RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	3,60E+01	0,00E+00	9,45E+00	0,00E+00	4,54E+01
Use of RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	5,43E+01	2,44E-01	3,48E+00	7,37E-01	5,88E+01
Total use of RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	9,03E+01	2,44E-01	1,29E+01	7,37E-01	1,04E+02





NON RENEWABLE RESOURCES	UPSTREAM	CORE		DOWNSTREAM	
	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of NON RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	0,00E+00	0,00E+00	2,22E+00	0,00E+00	2,22E+00
Use of NON RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	2,33E+02	2,07E+01	1,64E+01	5,09E+01	3,21E+02
Total use of NON RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	2,33E+02	2,07E+01	1,86E+01	5,09E+01	3,24E+02



()	UPSTREAM	UPSTREAM CORE		DOWNSTREAM	
USE OF SECONDARY RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of secondary material [kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of NON renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

	UPSTREAM	co	RE	DOWNSTREAM	
NET USE OF FRESH WATER	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Net use of fresh water [m³]	1,64E-01	3,81E-03	3,23E-02	1,02E-02	2,10E-01



亷	UPSTREAM	CORE		DOWNSTREAM		
WASTE PRODUCTION AND TREATMENT	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL	
Hazardous waste disposed [kg]	2,18E-01	1,33E-02	1,52E-02	3,60E-02	2,83E-01	
Non hazardous waste disposed [kg]	5,13E-01	8,68E-01	3,81E-01	2,26E+00	4,02E+00	
Radioactive waste disposed [kg]	4,61E-04	1,39E-04	7,48E-05	3,43E-04	1,02E-03	
Material for recycling [kg]	0,00E+00	0,00E+00	1,47E+01	0,00E+00	1,47E+01	
	UPSTREAM	CORE		DOWNSTREAM		
ENVIRONMEMNTAL IMPACT PARAMETERS	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL	
Global Warming Potential, GWP [kg CO ₂ eq]	1,56E+01	1,35E+00	7,67E+00	3,31E+00	2,79E+01	
Ozone Depletion Potential, ODP [kg CFC-11 eq]	2,52E-06	2,46E-07	1,30E-07	6,01E-07	3,50E-06	
Photochemical Ozone Creation, POCP [kg C_2H_4 eq]	2,41E-03	2,95E-04	3,54E-04	5,72E-04	3,63E-03	
,	2,41E-03 4,91E-02	2,95E-04 6,92E-03	3,54E-04 4,93E-03	5,72E-04 1,19E-02	3,63E-03 7,28E-02	
[kg C ₂ H ₄ eq]	· · · · · · · · · · · · · · · · · · ·	<u>'</u>	,	·	·	
[kg C ₂ H ₄ eq] Acidification Potential, AP [kg SO ₂ eq]	4,91E-02	6,92E-03	4,93E-03	1,19E-02	7,28E-02	



8. ENVIRONMENTAL PERFORMANCE (painted sheet - thickness 5 mm)

Results in terms of resource consumption or generated impacts are divided in three phases (upstream, core and downstream) and sub-phases (A1, A2, A3, A4) as requested by the reference PCR.

	UPSTREAM	CORE		DOWNSTREAM	
RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	1,50E+01	0,00E+00	3,94E+00	0,00E+00	1,89E+01
Use of RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	2,31E+01	1,03E-01	1,45E+00	3,07E-01	2,50E+01
Total use of RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	3,81E+01	1,03E-01	5,39E+00	3,07E-01	4,39E+01



NON RENEWABLE RESOURCES	UPSTREAM	co	CORE		
	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of NON RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	0,00E+00	0,00E+00	9,25E-01	0,00E+00	9,25E-01
Use of NON RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	1,11E+02	8,71E+00	6,83E+00	2,12E+01	1,48E+02
Total use of NON RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	1,11E+02	8,71E+00	7,75E+00	2,12E+01	1,49E+02



()	UPSTREAM	UPSTREAM CORE		DOWNSTREAM	
USE OF SECONDARY RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of secondary material [kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of NON renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

	UPSTREAM	CORE		DOWNSTREAM	
NET USE OF FRESH WATER	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Net use of fresh water [m³]	8,06E-02	1,60E-03	1,35E-02	4,23E-03	9,99E-02





亷	UPSTREAM	co	DRE	DOWNSTREAM	
WASTE PRODUCTION AND TREATMENT	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Hazardous waste disposed [kg]	1,11E-01	5,58E-03	6,34E-03	1,50E-02	1,38E-01
Non hazardous waste disposed [kg]	2,65E-01	3,66E-01	1,59E-01	9,40E-01	1,73E+00
Radioactive waste disposed [kg]	2,18E-04	5,87E-05	3,12E-05	1,43E-04	4,51E-04
Material for recycling [kg]	0,00E+00	0,00E+00	6,14E+00	0,00E+00	6,14E+00
	UPSTREAM	CORE		DOWNSTREAM	
ENVIRONMEMNTAL IMP PARAMETERS	ACT A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Global Warming Potential, GWP [kg CO ₂	eq] 6,95E+00	5,69E-01	3,51E+00	1,38E+00	1,24E+01
Ozone Depletion Potential, ODP [kg CFC	C-11 eq] 1,18E-06	1,04E-07	5,42E-08	2,50E-07	1,59E-06
Photochemical Ozone Creation, POCP [kg C ₂ H ₄ eq]	1,29E-03	1,24E-04	1,54E-04	2,38E-04	1,81E-03
Acidification Potential, AP [kg SO ₂ eq]	2,58E-02	2,90E-03	2,10E-03	4,95E-03	3,57E-02
Eutrophication Potential, EP [kg PO ₄ ³⁻ ec	3,17E-03	3,82E-04	3,98E-04	8,05E-04	4,76E-03
Depletion of abiotic resources-elements, elements [kg Sb eq]	ADP- 1,43E-05	1,54E-06	8,62E-07	4,02E-06	2,07E-05



8. ENVIRONMENTAL PERFORMANCE (painted sheet - thickness 6 mm)

	UPSTREAM	co	RE	DOWNSTREAM	
RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	1,80E+01	0,00E+00	4,72E+00	0,00E+00	2,27E+01
Use of RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	2,78E+01	1,23E-01	1,74E+00	3,68E-01	3,00E+01
Total use of RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	4,57E+01	1,23E-01	6,46E+00	3,68E-01	5,27E+01





	UPSTREAM	co	PRE	DOWNSTREAM	
NON RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of NON RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	0,00E+00	0,00E+00	1,11E+00	0,00E+00	1,11E+00
Use of NON RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	1,34E+02	1,05E+01	8,19E+00	2,55E+01	1,78E+02
Total use of NON RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	1,34E+02	1,05E+01	9,30E+00	2,55E+01	1,79E+02



()	UPSTREAM	co	DRE	DOWNSTREAM	
USE OF SECONDARY RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of secondary material [kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of NON renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

	UPSTREAM	co	RE	DOWNSTREAM		
NET USE OF FRESH WATER	A1 Raw material supply	A2 Transport A3 Production Process		A4 Product distribution	TOTAL	
Net use of fresh water [m³]	9,67E-02	1,92E-03	1,62E-02	5,08E-03	1,20E-01	





前		UPSTREAM	co	DRE	DOWNSTREAM	
WASTE PRODU AND TREATM		A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Hazardous waste disposed [kg]		1,33E-01	6,70E-03	7,61E-03	1,80E-02	1,65E-01
Non hazardous waste disposed	[kg]	3,18E-01	4,39E-01	1,91E-01	1,13E+00	2,08E+00
Radioactive waste disposed [kg	l	2,61E-04	7,05E-05	3,74E-05	1,72E-04	5,41E-04
Material for recycling [kg]		0,00E+00	0,00E+00	7,36E+00	0,00E+00	7,36E+00
			CORE		DOWNSTREAM	
ENVIRONMEMNTA PARAMETE		A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Global Warming Potential, GWF	P [kg CO ₂ eq]	8,35E+00	6,83E-01	4,22E+00	1,65E+00	1,49E+01
Ozone Depletion Potential, ODF	P [kg CFC-11 eq]	1,41E-06	1,24E-07	6,50E-08	3,01E-07	1,90E-06
Photochemical Ozone Creation, [kg C ₂ H ₄ eq]	POCP	1,55E-03	1,48E-04	1,85E-04	2,86E-04	2,17E-03
Acidification Potential, AP [kg S	O ₂ eq]	3,09E-02	3,48E-03	2,52E-03	5,94E-03	4,29E-02
Eutrophication Potential, EP [kg	PO ₄ ³⁻ eq]	3,81E-03	4,58E-04	4,77E-04	9,66E-04	5,71E-03
Depletion of abiotic resources-e elements [kg Sb eq]	lements, ADP-	1,72E-05	1,85E-06	1,03E-06	4,82E-06	2,49E-05
Depletion of abiotic resources-fo	ossil ADP-fossil	1,37E+02	1,03E+01	9,03E+00	2,50E+01	1,81E+02



8. ENVIRONMENTAL PERFORMANCE (painted sheet - thickness 8 mm)

	UPSTREAM	CORE		DOWNSTREAM	
RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	2,40E+01	0,00E+00	6,30E+00	0,00E+00	3,03E+01
Use of RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	3,70E+01	1,64E-01	2,32E+00	4,91E-01	4,00E+01
Total use of RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	6,10E+01	1,64E-01	8,62E+00	4,91E-01	7,03E+01





	UPSTREAM	co	RE	DOWNSTREAM	
NON RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of NON RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	0,00E+00	0,00E+00	1,48E+00	0,00E+00	1,48E+00
Use of NON RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	1,78E+02	1,39E+01	1,09E+01	3,40E+01	2,37E+02
Total use of NON RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	1,78E+02	1,39E+01	1,24E+01	3,40E+01	2,38E+02



	UPSTREAM	co	PRE	DOWNSTREAM	
USE OF SECONDARY RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of secondary material [kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of NON renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

	UPSTREAM	co	PRE	DOWNSTREAM		
NET USE OF FRESH WATER	A1 Raw material supply	A2 Transport A3 Production Process		A4 Product distribution	TOTAL	
Net use of fresh water [m³]	1,29E-01	2,57E-03	2,15E-02	6,77E-03	1,60E-01	





	m	UPSTREAM	СО	RE	DOWNSTREAM		
	WASTE PRODUCTION AND TREATMENT	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL	
	Hazardous waste disposed [kg]	1,77E-01	8,93E-03	1,02E-02	2,40E-02	2,20E-01	
	Non hazardous waste disposed [kg]	4,24E-01	5,85E-01	2,54E-01	1,50E+00	2,77E+00	
	Radioactive waste disposed [kg]	3,48E-04	9,40E-05	4,99E-05	2,29E-04	7,21E-04	
	Material for recycling [kg]	0,00E+00	0,00E+00	9,82E+00	0,00E+00	9,82E+00	
	✓	UPSTREAM	CORE		DOWNSTREAM	DOWNSTREAM	
	ENVIRONMEMNTAL IMPACT PARAMETERS	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL	
	Global Warming Potential, GWP [kg CO ₂ eq]	1,11E+01	9,10E-01	5,62E+00	2,20E+00	1,99E+01	
	Ozone Depletion Potential, ODP [kg CFC-11 eq]	1,88E-06	1,66E-07	8,67E-08	4,01E-07	2,54E-06	
	Photochemical Ozone Creation, POCP [kg C ₂ H ₄ eq]	2,07E-03	1,98E-04	2,46E-04	3,82E-04	2,89E-03	
	Acidification Potential, AP [kg SO ₂ eq]	4,13E-02	4,64E-03	3,36E-03	7,91E-03	5,72E-02	
	Eutrophication Potential, EP [kg PO ₄ ³⁻ eq]	5,08E-03	6,11E-04	6,36E-04	1,29E-03	7,61E-03	
	Depletion of abiotic resources-elements, ADP-elements [kg Sb eq]	2,29E-05	2,47E-06	1,38E-06	6,43E-06	3,32E-05	
	Depletion of abiotic resources-fossil, ADP-fossil fuels [MJ]	1,82E+02	1,38E+01	1,20E+01	3,33E+01	2,41E+02	



8. ENVIRONMENTAL PERFORMANCE (painted sheet - thickness 10 mm)

	UPSTREAM	co	RE	DOWNSTREAM	
RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	3,00E+01	0,00E+00	7,87E+00	0,00E+00	3,78E+01
Use of RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	4,63E+01	2,05E-01	2,90E+00	6,14E-01	5,00E+01
Total use of RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	7,62E+01	2,05E-01	1,08E+01	6,14E-01	8,78E+01





	UPSTREAM	co	PRE	DOWNSTREAM	
NON RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of NON RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	0,00E+00	0,00E+00	1,85E+00	0,00E+00	1,85E+00
Use of NON RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	2,23E+02	1,74E+01	1,37E+01	4,24E+01	2,96E+02
Total use of NON RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	2,23E+02	1,74E+01	1,55E+01	4,24E+01	2,98E+02



(6)	UPSTREAM	co	DRE	DOWNSTREAM		
USE OF SECONDARY RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL	
Use of secondary material [kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	
Use of renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	
Use of NON renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	

	UPSTREAM	co	PRE	DOWNSTREAM		
NET USE OF FRESH WATER	A1 Raw material supply	A2 Transport A3 Production Process		A4 Product distribution	TOTAL	
Net use of fresh water [m³]	1,61E-01	3,21E-03 2,69E-02		8,46E-03	2,00E-01	





m	UPSTREAM	co	DRE	DOWNSTREAM		
WASTE PRODUCTION AND TREATMENT	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL	
Hazardous waste disposed [kg]	2,22E-01	1,12E-02	1,27E-02	3,00E-02	2,75E-01	
Non hazardous waste disposed [kg]	5,30E-01	7,32E-01	3,18E-01	1,88E+00	3,46E+00	
Radioactive waste disposed [kg]	4,35E-04	1,17E-04	6,23E-05	2,86E-04	9,01E-04	
Material for recycling [kg]	0,00E+00	0,00E+00	1,23E+01	0,00E+00	1,23E+01	
	UPSTREAM	CORE		DOWNSTREAM		
ENVIRONMEMNTAL IMPAC PARAMETERS	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL	
Global Warming Potential, GWP [kg CO ₂ eq	1,39E+01	1,14E+00	7,03E+00	2,75E+00	2,48E+01	
Ozone Depletion Potential, ODP [kg CFC-11	2,35E-06	2,07E-07	1,08E-07	5,01E-07	3,17E-06	
Photochemical Ozone Creation, POCP [kg C ₂ H ₄ eq]	2,58E-03	2,47E-04	3,08E-04	4,77E-04	3,61E-03	
Acidification Potential, AP [kg SO ₂ eq]	5,16E-02	5,81E-03	4,20E-03	9,89E-03	7,15E-02	
Eutrophication Potential, EP [kg PO ₄ ³⁻ eq]	6,35E-03	7,63E-04	7,95E-04	1,61E-03	9,51E-03	
Depletion of abiotic resources-elements, AD elements [kg Sb eq]	2,86E-05	3,09E-06	1,72E-06	8,03E-06	4,15E-05	
Depletion of abiotic resources-fossil, ADP-fo	2,28E+02	1,72E+01	1,50E+01	4,17E+01	3,02E+02	



8. ENVIRONMENTAL PERFORMANCE (painted sheet - thickness 12 mm)

	UPSTREAM	co	PRE	DOWNSTREAM		
RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL	
Use of RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	3,60E+01	0,00E+00	9,45E+00	0,00E+00	4,54E+01	
Use of RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	5,55E+01	2,46E-01	3,48E+00	7,37E-01	6,00E+01	
Total use of RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	9,15E+01	2,46E-01	1,29E+01	7,37E-01	1,05E+02	





	UPSTREAM	co	PRE	DOWNSTREAM	
NON RENEWABLE RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL
Use of NON RENEWABLE primary energy resources used as raw materials [MJ, net calorific value]	0,00E+00	0,00E+00	2,22E+00	0,00E+00	2,22E+00
Use of NON RENEWABLE primary energy excluding renewable primary energy resources used as raw materials [MJ, net calorific value]	2,67E+02	2,09E+01	1,64E+01	5,09E+01	3,55E+02
Total use of NON RENEWABLE primary energy resources (primary energy and primary energy resources used as raw materials) [MJ, net calorific value]	2,67E+02	2,09E+01	1,86E+01	5,09E+01	3,58E+02





()	UPSTREAM	CORE		DOWNSTREAM		
USE OF SECONDARY RESOURCES	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL	
Use of secondary material [kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	
Use of renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	
Use of NON renewable secondary fuels [MJ, net calorific value]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	

	UPSTREAM	СО	RE	DOWNSTREAM		
NET USE OF FRESH WATER	A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL	
Net use of fresh water [m³]	1,93E-01	3,85E-03	3,23E-02	1,02E-02	2,40E-01	





俞	命	UPSTREAM	JPSTREAM CORE				
WASTE PRODUCT AND TREATME		A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL	
Hazardous waste disposed [kg]		2,66E-01	1,34E-02	1,52E-02	3,60E-02	3,30E-01	
Non hazardous waste disposed [ko	9]	6,36E-01	8,78E-01	3,81E-01	2,26E+00	4,15E+00	
Radioactive waste disposed [kg]		5,22E-04	1,41E-04	7,48E-05	3,43E-04	1,08E-03	
Material for recycling [kg]		0,00E+00	0,00E+00	1,47E+01	0,00E+00	1,47E+01	
			CORE		DOWNSTREAM		
ENVIRONMEMNTAL PARAMETER		A1 Raw material supply	A2 Transport	A3 Production Process	A4 Product distribution	TOTAL	
Global Warming Potential, GWP [kg CO ₂ eq]	1,67E+01	1,37E+00	8,43E+00	3,31E+00	2,98E+01	
Ozone Depletion Potential, ODP [kg CFC-11 eq]	2,82E-06	2,49E-07	1,30E-07	6,01E-07	3,80E-06	
Photochemical Ozone Creation, P [kg C ₂ H ₄ eq]	OCP	3,10E-03	2,97E-04	3,69E-04	5,72E-04	4,34E-03	
Acidification Potential, AP [kg SO ₂	eq]	6,19E-02	6,97E-03	5,04E-03	1,19E-02	8,58E-02	
Eutrophication Potential, EP [kg Po	O ₄ ³⁻ eq]	7,61E-03	9,16E-04	9,55E-04	1,93E-03	1,14E-02	
Depletion of abiotic resources-elements [kg Sb eq]	nents, ADP-	3,44E-05	3,71E-06	2,07E-06	9,64E-06	4,98E-05	
Depletion of abiotic resources-foss	sil, ADP-fossil	2,73E+02	2,07E+01	1,81E+01	5,00E+01	3,62E+02	



9. REFERENCES

Bibliography

- ISO 14025:2006
- EN 15804:2013
- PCR 2012:01 Construction products and Construction services v.2.3, 2018-11-15, UN CPC 375
- General Programme Instructions of the International EPD® System v.2.5, 2015-05-11
- Life Cycle Assessment of Flat Sheet production Study report for Environmental Product Declaration Reference year: 2021 (04/05/2022)

For data elaboration the following tools are used:

- Software: SimaPro v.9 (www.pre.nl)
- Main database: Ecoinvent 3.5
- Reference year: 2021
- Geographical scope of the EPD: Europe

EPDs within the same product category but from different programmes may not be comparable. EPDs of construction products may not be comparable if they do not comply with EN 15804.

Contacts

SIL references for information:

Società Italiana Lastre SpA Via Francesco Lenzi, 26 – 25028 Verolanuova (BS) – Italy info@sil-lastre.com tel. 0039 - 030 9920900

The technical support to SIL has been provided by Studio Fieschi & soci, Italy (www.studiofieschi.it)



STUDIOFIESCHI & SOCI

Programme:

The International EPD® System operated by EPD International AB Box 210 60 SE-100 31 Stockholm, Sweden www.environdec.com info@environdec.com









DIFFERENCES VERSUS PREVIOUS VERSIONS

2015-04-15 – First publication

2020-06-20 - EPD Renewal, reference year for the data: 2019

2022-06-21 – Update during validity. Update of data to reference year 2021. Added new thicknesses for the same product: 6, 12 mm not painted flat sheets; 5 and 6mm painted flat sheets







CEN standard EN 15804 served as the core PCR					
PCR:	PCR 2012:01 Construction products and Construction services v.2.3, 2018-11-15				
PCR review was conducted by:	The Technical Committee of the International EPD® System. Contact via info@environdec.com				
Independent verification of the declaration and data, according to ISO 14025:	EPD verification (External)				
Third party verifier:	Etienne Lees-Perasso				
Approved by:	The International EPD® System				

